

DS-PDP18-HM-WB Wireless Double PIR Detector

Wireless Double PIR Detector is a two-way wireless outdoor double PIR detector with up to 20000lux high light resistance. This device is designed to protect the outdoor areas of your property and triggers an alarm before an intruder breaks in.

- High/Low mount adjustment
- IP65 weather resistance for outdoor application
- Multiple enrollment methods and easy installation
- Frequency hopping against jamming for reliable transmission



Specification

	Passive Infrared	
Detection Range		
	18 m	
Detection Angle	90°	
Detection Zones	118	
Detectable Speed	0.3 to 2 m/s	
Sensitivity	Auto, Pet	
White Light Filter	20000lux	
Pet Immunity	Up to 24 Kg	
Digital Temperature	Support	
Compensation	Support	
Feature		
Digital Processing	Support	
Sealed Optics	Support	
Tamper Protection	Front, Rear	
Environment Temperature Indicator	Support	
Signal Strength Indicator	Support	
Directional Detection	Support	
Interface		
Power Switch	Power Up Enrolling	
LED Indicator	Blue(Alarm)	
Transmission		
Transmission Technology	Tri-X Wireless	
Transmission Method	Two-Way RF Wireless	
Transmission Frequency	433 MHz	
Transmission Security	AES-128 Encryption	
Transmission Range(Free Space)	1 Km	
Frequency Hopping	Support	
Enrolling Method	Power up, Remote ID, QR Code	
Electrical Characteristics		
Standard Battery Life	5 years in work status (being triggered 20 times per day)	
Power Supply	Battery Powered	
Battery Type	CR123A × 2	
Typical Voltage	3 V	
General		
Operation Temperature	-25 °C to 60 °C (-13 °F to 140 °F)	
Storage Temperature	-25 °C to 60 °C (-13 °F to 140 °F)	
Operation Humidity	10% to 90%	
IP Rate	IP65	
Dimension(W × H × D)	67.3 mm × 141.6 mm × 60 mm	
Weight	301 g	
Mounting Height	2.5 to 3 m High Mount	
	0.8 to 1.2 m Low Mount	



Mounting Method	Wall
Application Scenario	Indoor, Outdoor
Bracket	Adjustment bracket included

Available Model

DS-PDP18-HM-WB





Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.





HikvisionHQ



HikvisionHQ



Hikvision_Global





